




**ART - P A C K**

**PRODUCT  
CATALOG**

**WWW.ART-PACK.EU**



## EPAL 1 PALLET

Length: 1200mm Width: 800mm Height: 144mm

Safe working load: 1500kg

Maximum additional loading: 4000kg

Technical standard: UIC 435-2, Moisture: 18-22%,

Treatment: IPPC ISPM 15

Markings: EPAL, IPPC, control staple



## EPAL 3 PALLET

Length: 1200mm Width: 1000mm Height: 144mm

Safe working load: 1500kg

Maximum additional loading: 4000kg

Technical standard: UIC 435-5 Moisture: 18-22%

Treatment: IPPC ISPM 15

Markings: EPAL, IPPC, control staple



## UIC PALLET

Length: 1200mm Width: 800mm Height: 144mm

Safe working load: 1500kg

Maximum additional loading: 4000kg

Technical standard: UIC 435-2, Moisture: 18-22%

Treatment: IPPC ISPM 15

Markings: UIC, IPPC, EUR, control staple



## EUROPALLET IPPC

Length: 1200mm Width: 800mm Height: 144mm

Safe working load: 1500kg

Maximum additional loading: 4000kg

Moisture: 18-22%

Treatment: IPPC ISPM 15

Markings: IPPC



## ONE-WAY PALLET IPPC

Length: 1200mm Width: 800mm Height: 144mm

Safe working load: 1500kg

Maximum additional loading: 4000kg

Moisture: 18-22%

Treatment: IPPC ISPM 15

Markings: IPPC



## ONE-WAY PALLET IPPC

Length: 1200mm Width: 1000mm Height: 144mm

Safe working load: 1000kg

Maximum additional loading: 2000kg

Moisture: 18-22%

Treatment: IPPC ISPM 15

Markings: IPPC

## PALLET COLLAR 800x1200

Length: 1200mm Width: 800mm Height: 195mm

Making: 1 board or 2 boards

Quality: premium or industrial

Personalization: logotype

Moisture: 18-22%

Treatment: IPPC ISPM 15 Markings: IPPC



## **PALLET COLLAR 800x600**

Length: 800mm Width: 600mm Height: 195mm

Making: 1 board or 2 boards

Quality: premium or industrial

Personalization: logotype

Moisture: 18-22%

Treatment: IPPC ISPM 15 Markings: IPPC



## PALLET BLOCK

Length: 145mm


Width: 145mm

Height: 78mm

Length: 145mm

Width: 100mm

Height: 78mm



**ART - P A C K**

**EXPERIENCE  
QUALITY  
PUNCTUALITY**

***ART-PACK Sp. z o.o. - Przemysłowa 14, 35-105 Rzeszów, Poland***